




Date: \_\_\_\_\_

## VINE TRIMMER DESIGN WORKSHEET


Dealer: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Ph: \_\_\_\_\_ Fax: \_\_\_\_\_  
 P.O.: \_\_\_\_\_

Customer: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
 Model # Requested: \_\_\_\_\_

### CHARACTERISTICS OF THE VEGETATION AFTER TRIMMING



- A = Desired thickness of vegetation after trimming
- B = Maximum vertical cut
- C = Distance between the rows
- D = Desired height from soil to the top
- E = Distance between vegetation after trimming



Approximate acres of use \_\_\_\_\_ What vineyard trellis system do you use \_\_\_\_\_

Selected Number Of Configuration \_\_\_\_\_

Skirting Element \_\_\_\_\_

Vineyard Terrain: Level Hilly Terraced

Front Mounting Rear Mounting

Side Mounting

Make & Model of the Tractor: \_\_\_\_\_



In-Row Tractor

Over Row Tractor

Horsepower: \_\_\_\_\_ HP

First Hydraulic Pump Available Flow: \_\_\_\_\_ GPM Maximum Pressure: \_\_\_\_\_ PSI

Open center hydraulics Closed center hydraulics Load Sensing circuit (LS)

Second Hydraulic Pump Available Flow: \_\_\_\_\_ GPM Maximum Pressure: \_\_\_\_\_ PSI


Open center hydraulics Closed center hydraulics Load Sensing circuit (LS)



## LEAF REMOVER DESIGN WORKSHEET

Dealer: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Ph: \_\_\_\_\_ Fax: \_\_\_\_\_  
 P.O.: \_\_\_\_\_

Customer: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
 Model # Requested: \_\_\_\_\_



- A = Thickness of the vegetation: \_\_\_\_\_ inches  
 B = Height of the defoliation adjusts from 11" to 23 1/2" by rotating the twin rotor heads.  
 C = Distance between rows: \_\_\_\_\_ inches (Min.) \_\_\_\_\_ inches (Max.)  
 E = Distance between foliage after trimming: \_\_\_\_\_ inches (Min.) \_\_\_\_\_ inches (Max.)  
 F = Fruit zone: \_\_\_\_\_ inches (Min.) \_\_\_\_\_ inches (Max.)  
 HF = Desired height from soil to top of fruit zone: \_\_\_\_\_ inches (Min.) \_\_\_\_\_ inches (Max.)  
 HT = Height from soil to top of foliage: \_\_\_\_\_ inches (Min.) \_\_\_\_\_ inches (Max.)

Approximate acres of use \_\_\_\_\_ What vineyard trellis system do you use \_\_\_\_\_

Vineyard Terrain: Level Hilly Terraced

Front Mounting Rear Mounting

Make & Model of the Tractor: \_\_\_\_\_ Wt: \_\_\_\_\_ Frame Clearance: \_\_\_\_\_

In-Row Tractor Over Row Tractor Horsepower: \_\_\_\_\_ HP

First Hydraulic Pump Available Flow: \_\_\_\_\_ GPM Maximum Pressure: \_\_\_\_\_ PSI

Open center hydraulics Closed center hydraulics Load Sensing circuit (LS)

Second Hydraulic Pump Available Flow: \_\_\_\_\_ GPM Maximum Pressure: \_\_\_\_\_ PSI

Open center hydraulics Closed center hydraulics Load Sensing circuit (LS)

**Return worksheet to Gearmore - email: [sales@gearmore.com](mailto:sales@gearmore.com) or fax to (909) 548-4747**




# 1 ROW PREPRUNER DESIGN WORKSHEET

*(Exclusively for front mounting)*

Dealer: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Ph: \_\_\_\_\_ Fax: \_\_\_\_\_  
 P.O.: \_\_\_\_\_

Customer: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
 Model # Required: \_\_\_\_\_



**TYPE OF TRACTOR:**

IN-ROW Tractor  
 Weight: \_\_\_\_\_ lbs.  
 Wheel track: \_\_\_\_\_ in.

OVER-THE-ROW Tractor  
 Wheel track: \_\_\_\_\_ in.  
 Height under the frame: \_\_\_\_\_ in.

How many acres to cover: \_\_\_\_\_  
 Maximum height of posts: \_\_\_\_\_ in.  
 Maximum Ø of the posts: \_\_\_\_\_ in.

**NATURE OF THE POSTS:**

~ Wood  
 ~ Iron  
 ~ Other (specify): \_\_\_\_\_

**VINEYARD TERRAIN:**

Level  Hilly  Terraced

Make & Model of the Tractor: \_\_\_\_\_ Horsepower: \_\_\_\_\_ HP

First hydraulic pump available flow: \_\_\_\_\_ GPM Maximum pressure: \_\_\_\_\_ PSI

OPEN center hydraulics  CLOSED center hydraulics  LOAD SENSING (LS) circuit

Second hydraulic pump available flow: \_\_\_\_\_ GPM Maximum pressure: \_\_\_\_\_ PSI

OPEN center hydraulics  CLOSED center hydraulics  LOAD SENSING (LS) circuit




**COLLARD**<sup>®</sup>  
THE SPECIALIST OF THE TREE HEDGERS

Date: \_\_\_\_\_

## TREE HEDGER P2000 A DESIGN WORKSHEET

Dealer: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Ph: \_\_\_\_\_ Fax: \_\_\_\_\_  
 P.O.: \_\_\_\_\_

Customer: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
 Model # Required: \_\_\_\_\_



Selected number of configuration:

Type of tree: \_\_\_\_\_

Ø to be cut: \_\_\_\_\_ inches

Density of vegetation: Dense  Medium  Low

Cut: Green  or Wood

Front mounting  Other (specify): \_\_\_\_\_

In-row tractor

Type & model of tractor: \_\_\_\_\_ Horsepower: \_\_\_\_\_ HP

First hydraulic pump available flow: \_\_\_\_\_ GPM Maximum pressure: \_\_\_\_\_ PSI

OPEN center hydraulics  CLOSED center hydraulics  LOAD SENSING (LS) circuit

Second hydraulic pump available flow: \_\_\_\_\_ GPM Maximum pressure: \_\_\_\_\_ PSI

OPEN center hydraulics  CLOSED center hydraulics  LOAD SENSING (LS) circuit

**Return worksheet to Gearmore - email: sales@gearmore.com or fax to (909) 548-4747**

Inches	Min.	Max.
A		
B		
C		
D		
E		
F		
G		
H		




**COLLARD**®  
THE SPECIALIST OF THE TREE HEDGERS

Date: \_\_\_\_\_

## HEDGING DESIGN WORKSHEET

Dealer: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Ph: \_\_\_\_\_ Email: \_\_\_\_\_  
 P.O.: \_\_\_\_\_

Customer: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Email: \_\_\_\_\_  
 Model # Required: \_\_\_\_\_



Diameter to be cut: \_\_\_\_\_ inches  
 Density of vegetation: Dense  Medium  Low   
 Cut: Green  or Wood

Type & model of tractor: \_\_\_\_\_ Horsepower: \_\_\_\_\_ HP  
 Hydraulic pump available flow: \_\_\_\_\_ GPM Maximum pressure: \_\_\_\_\_ PSI  
 OPEN center hydraulics  CLOSED center hydraulics

Feet	Min.	Max.
A		
B		
C		

*Return worksheet to Gearmore - email: sales@gearmore.com or fax to (909) 548-4747*



# COLLARD®


THE SPECIALIST OF THE TREE HEDGERS

Date: \_\_\_\_\_

## TREE SKIRTING DESIGN WORKSHEET

Dealer: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Ph: \_\_\_\_\_ Email: \_\_\_\_\_  
 P.O.: \_\_\_\_\_

Customer: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Email: \_\_\_\_\_  
 Model # Required: \_\_\_\_\_



Feet	Min.	Max.
A		
B		
C		

Type of tree: \_\_\_\_\_

Diameter to be cut: \_\_\_\_\_ inches

Density of vegetation: Dense  Medium  Low

Cut: Green  or Wood

Type & model of tractor: \_\_\_\_\_ Horsepower: \_\_\_\_\_ HP

Hydraulic pump available flow: \_\_\_\_\_ GPM Maximum pressure: \_\_\_\_\_ PSI

OPEN center hydraulics  CLOSED center hydraulics

*Return worksheet to Gearmore - email: [sales@gearmore.com](mailto:sales@gearmore.com) or fax to (909) 548-4747*