




# **VENTURI AIR SPRAYERS 40 FOOT AIR BOOM**




**Parts Manual For  
B24.2.50.55.12 Boom  
For P55E1 Sprayer**

**July 2015**

# TABLE OF CONTENTS

| <b><u>SECTION</u></b> | <b><u>DESCRIPTION .....</u></b>      | <b><u>PAGE</u></b> |
|-----------------------|--------------------------------------|--------------------|
| <b>1</b>              | <b>Introduction .....</b>            | <b>1</b>           |
| 1.1                   | Purchaser's Responsibility .....     | 1                  |
| 1.2                   | Serial Number Information .....      | 1                  |
| <b>2</b>              | <b>Complete Frame .....</b>          | <b>2 - 10</b>      |
| 2.01                  | Frame Support .....                  | 3-4                |
| 2.02                  | Left Side Section .....              | 5-9                |
| 2.03                  | Sliding Center Section .....         | 6-9                |
| 2.04                  | Right Side Section .....             | 7-9                |
| 2.05                  | Nozzle Protection Guard .....        | 10                 |
| <b>3</b>              | <b>Complete Air Routing .....</b>    | <b>11 - 16</b>     |
| 3.01                  | Air Routing .....                    | 12                 |
| 3.02                  | L.H. Sliding Bracket .....           | 13-14              |
| 3.03                  | R.H. Sliding Bracket .....           | 15-16              |
| <b>4</b>              | <b>Liquid Flow Path .....</b>        | <b>17 - 22</b>     |
| 4.01                  | Fittings Flow Path .....             | 18                 |
| 4.02                  | Fittings, Liquid Flow Path .....     | 19-20              |
| 4.03                  | Fittings, Liquid Flow Path .....     | 21-22              |
| 4.04                  | Complete Anti-Drip Nozzle Assy ..... | 23                 |
| <b>5</b>              | <b>Limited Warranty .....</b>        | <b>24</b>          |

# INDEX



# 1 INTRODUCTION

---

We welcome you as an owner of a Gearmore sprayer. Please read the following instructions and refer to them when required. This manual contains parts diagrams and replacement parts lists. Do not modify the equipment in any way. Unauthorized modification may impair the function and/or safety and could affect the life of the equipment.

Where replacement parts are necessary for periodic maintenance and servicing, genuine factory replacement parts ***MUST*** be used to restore your equipment to original specifications. The manufacturer will not be responsible for injuries or damages caused by use of unapproved parts and/or accessories.

The manufacturer reserves the right to make improvements to the machinery and parts at any time and at their discretion.

**OPERATOR ORIENTATION** - The directions left, right, front and rear, are as seen from the driver's seat and facing in the direction of travel.

## 1.1 PURCHASER'S RESPONSIBILITY

It is the responsibility of the owner to make sure the machine is maintained properly, and that all parts are in working order. It is the responsibility of the purchaser and/or operator to.....

- Inspect the equipment and replace or repair any parts that are damaged or worn which under continued operation would cause damage, wear to other parts, or cause a safety hazard.
- Return the equipment or parts to the authorized dealer, from where it was purchased, for service or replacement of defective parts that are covered by warranty. (The factory may inspect equipment or parts before warranty claims are honored.)
- Payment of all costs incurred by the dealer for traveling to or transporting the equipment for warranty inspection and/or claims.

## 1.2 MODEL / SERIAL NUMBER

NAME: \_\_\_\_\_

PURCHASED FROM: \_\_\_\_\_


DATE OF PURCHASE: \_\_\_\_\_

MODEL NUMBER: \_\_\_\_\_

SERIAL NUMBER: \_\_\_\_\_




## 2 COMPLETE FRAME



## 2 COMPLETE FRAME

### Sec. 01 FRAME SUPPORT




## 2 COMPLETE FRAME

### Sec. 01 FRAME SUPPORT

| <u>REF #</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>                            |
|--------------|-------------|-----------------|-----------------------------------------------|
| 1            | 4           | X02.439.000     | Lynch Pin D.8                                 |
| 2            | 2           | X20.295.001     | Tie Rod for Fixing Lower & Top Frame          |
| 3            | 2           | X20.311.000     | Pin                                           |
| 4            | 2           | X20.312.101     | Pin                                           |
| 5            | 1           | X20.314.101     | Pin for 3-Point                               |
| 6            | 1           | X20.323.001DXC  | RH Supporting for Side Section at rest        |
| 7            | 1           | X20.323.001SXC  | LH Supporting for Side Section at rest        |
| 8            | 2           | X20.338.002.Z   | Pipe                                          |
| 9            | 1           | X20.338.100DX   | Right Sliding Bracket                         |
| 10           | 1           | X20.338.100SX   | Left Sliding Bracket                          |
| 11           | 2           | X20.495.001     | Rod                                           |
| 12           | 2           | X20.496.000     | Shaped Plate with Holes                       |
| 13           | 2           | X20.656.000     | Bracket Fixing Mounted to the Lower Frame     |
| 14           | 1           | X20.778.100     | Bush                                          |
| 15           | 1           | X21.065.002     | Frame                                         |
| 16           | 2           | X40.201.200     | Pin Power Lift                                |
| 17           | 2           | X40.202.001     | Bush                                          |
| 18           | 2           | XBRF.014.050    | Bar                                           |
| 19           | 2           | XCP.004.040     | Split Pin D.4 L=40                            |
| 20           | 6           | XD0.10.5587G    | M10 6S Big Lead Nut 5587                      |
| 21           | 6           | XD0.14.5587G    | M14 6S Big Lead Nut 5587                      |
| 22           | 4           | XD0.16.5587G    | M16 6S Big Lead Nut 5587                      |
| 23           | 8           | XD0.20.5587G    | M20 6S Big Lead Nut 5587                      |
| 24           | 2           | XDI.022.5593F   | Castle Nut (6 Slots) M22                      |
| 25           | 2           | XRD.022.000     | Tab Washer D.22                               |
| 26           | 4           | XRP.014.000     | Washer Ø14                                    |
| 27           | 8           | XRP.016.000     | Washer D.16                                   |
| 28           | 8           | XRP.020.000     | Washer D.20                                   |
| 29           | 2           | XTE.010.160T    | Screw TE UNI 5739-65 M10 x 160-8.8            |
| 30           | 6           | XTE.012.035T    | Screw TE UNI 5739-65 M12 x 35-8.8             |
| 31           | 4           | XTE.016.110     | Galvanized Screw TE UNI 5737-65 M16 x 110-8.8 |


## 2

## Sec. 02 LEFT SIDE SECTION




## 2 COMPLETE FRAME

### Sec. 03 SLIDING CENTER SECTION



## 2 COMPLETE FRAME

### Sec. 04 RIGHT SIDE SECTION





## 2 COMPLETE FRAME

### Sec. 02\_03\_04 PARTS LIST

| <u>REF.</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>             |
|-------------|-------------|-----------------|--------------------------------|
| 1           | 1           | 20.199.01C      | Cylinder                       |
| 2           | 2           | 20.147.200      | Cylinder                       |
| 3           | 1           | 20.293.002      | Top Frame                      |
| 4           | 14          | RP.016.000      | Washer D.16                    |
| 5           | 6           | TE.016.040T     | Screw TE 16 x 40               |
| 6           | 6           | D0.16.5587G     | Nut M16                        |
| 7           | 4           | D0.22.5589G     | Nut M22 6S                     |
| 8           | 1           | TE.022.080      | Screw TE M22 x 80              |
| 9           | 1           | 20.294.000      | Sliding Frame                  |
| 10          | 8           | D0.12.5588G     | M12 6S Big Lead Nut 5588       |
| 11          | 8           | TE.012.050T     | Screw M12 x 50T                |
| 12          | 4           | 20.326.000      | Guide                          |
| 13          | 4           | 20.329.000      | Pin D.19 For Cylinders         |
| 14          | 8           | SE.006.028      | Elastic Pin                    |
| 15          | 12          | ID.010.001      | Grease Nipple                  |
| 16          | 2           | D0.20.5587G     | Nut M20                        |
| 17          | 4           | TE.020.060T     | Screw TE M20 x 60              |
| 18          | 2           | D0.020.5587G    | M20 Nut                        |
| 19          | 1           | TE.022.100      | Screw M22 x 100                |
| 20          | 1           | 20.321.000SX    | Support Left                   |
| 21          | 1           | 20.320.100SX    | RH Supporting                  |
| 22          | 2           | 20.318.000      | Pin For Articulation           |
| 23          | 6           | 20.921.000      | Washer D.60 x 26 SP.6          |
| 24          | 2           | 20.264.000      | Spring                         |
| 25          | 8           | D0.33.5588F     | Nut M33 6S                     |
| 26          | 1           | 20.321.000DX    | Support Right                  |
| 27          | 1           | 20.320.100DX    | RH Supporting                  |
| 28          | 1           | 20.316.100SX    | Pneumatic Bar Left Arm         |
| 29          | 8           | 20.322.000      | INOX D.160 Semi Clamp          |
| 30          | 2           | 20.319.000      | Pin For Hoisting               |
| 31          | 32          | RP.010.000      | Washer D.10                    |
| 32          | 16          | TE.010.060T     | Screw TE M10 x 60              |
| 33          | 16          | DA.010.0AG      | Self Locking Nut M10           |
| 34          | 8           | D0.18.5587G     | Nut M18                        |
| 35          | 8           | RP.018.000      | Washer                         |
| 36          | 4           | TE.010.025T     | Screw TE 10 x 25T              |
| 37          | 4           | D0.10.5588G     | M10 6S Big Lead Nut 5588       |
| 38          | 8           | 20.820.000      | Washer                         |
| 39          | 1           | 20.316.100DX    | Pneumatic Bar Right Arm        |
| 40          | 1           | 20.317.000      | Central Carrier Outlet Bracket |
| 41          | 4           | RP.012.000      | Washer D.12                    |

## 2 COMPLETE FRAME


### Sec. 02\_03\_04 PARTS LIST

| <u>REF #</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>             |
|--------------|-------------|-----------------|--------------------------------|
| 42           | 2           | TE.012.035T     | Screw TE M12 x 35              |
| 43           | 2           | DA.012.0AG      | Self Locking Nut M12           |
| 44           | 1           | 20.287.000SX    | Outlets Carrier Left Bracket   |
| 45           | 2           | TE.016.110      | Screw TE M16 x 110             |
| 46           | 2           | 07.544.000      | Spring                         |
| 47           | 2           | DA.016.0AG      | Self Locking Nut M16           |
| 48           | 1           | 20.287.000DX    | Outlets Carrier Right Bracket  |
| 49           | 8           | 02.409.000      | Elbow With Retaining Ring Seal |



## 2 COMPLETE FRAME

### Sec. 05 NOZZLE PROTECTION GUARD




| <u>REF.</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>            |
|-------------|-------------|-----------------|-------------------------------|
| 50          | 2           | 20.341.000      | Polyethylene Hose Ø40 Lg. 600 |
| 51          | 1           | 20.342.001      | Bumper                        |
| 52          | 4           | RP.008.024      | Washer D.8 x 24               |
| 53          | 2           | TE.008.050T     | Screw TE M8 x 50              |
| 54          | 2           | DA.008.0AG      | Self Locking Nut M8           |
| 55          | 2           | 20.171.00C      | Sliding Bracket Air Boom      |

#### **20.171.00C**


|    |   |             |                    |
|----|---|-------------|--------------------|
| 56 | 1 | 20.171.000  | Sliding Bracket    |
| 57 | 1 | 20.068.000  | Bracket            |
| 58 | 1 | RP.008.000  | Washer D.8         |
| 59 | 2 | 20.069.000  | Threaded Handle M8 |
| 60 | 1 | 20.071.000  | Square Nut M8      |
| 61 | 1 | 20.070.000  | Square Nut M8      |
| 62 | 1 | D0.08.5588G | Nut M8             |

### 3 COMPLETE AIR ROUTING



### 3 COMPLETE AIR ROUTING


#### Sec. 01 AIR ROUTING



| <u>REF.</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>                     |
|-------------|-------------|-----------------|----------------------------------------|
| 1           | 2           | 20.302.000      | Air Duct                               |
| 2           | 1           | 20.286.000      | Air Outlet Body From D.250 to D.120/80 |
| 3           | 1           | 05.809.050      | 45° Bend D.250                         |
| 4           | 1           | 05.809.051      | 45° Elbow Bracket                      |
| 5           | 12          | 20.221.10CSX    | 2 Nozzles Kit D.80 With Bracket        |
| 6           | 12          | 20.221.10CDX    | 2 Nozzles Kit D.80 With Bracket        |
| 7           | 6           | RP.010.030      | Washer D.10 x 30 mm                    |
| 8           | 3           | TE.010.035T     | Screw TE 10 x 35                       |
| 9           | 2           | TE.010.025T     | Screw TE 10 x 25T                      |
| 10          | 4           | RP.010.000      | Washer D.10                            |
| 11          | 1           | 05.813.000      | Clamp D.275                            |
| 12          | 5           | D0.10.5587G     | Nut M10                                |
| 13          | 4           | F0.160.000      | Clamp D.160                            |
| 14          | 48          | F0.080.000      | Clamp D.80                             |
| 15          | As Req'd    | 02.280.000      | Hose D.80 (Per Foot)                   |
| 16          | As Req'd    | 02.247.000      | Hose D.160 (Per Foot)                  |

### 3 COMPLETE AIR ROUTING

#### Sec. 02 L.H. SLIDING BRACKET



### 3 COMPLETE AIR ROUTING

#### Sec. 02 L.H. SLIDING BRACKET

| <u>REF.</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>               |
|-------------|-------------|-----------------|----------------------------------|
| 1           | 1           | 20.171.00C      | Sliding Bracket Air Boom         |
| 2           | 1           | 20.221.000SX    | Complete 2 Nozzles Left Body Kit |
| 3           | 2           | 00.003.5.50     | Nozzle 3.5/50                    |
| 4           | 1           | TE.008.050T     | Screw TE M8 x 50                 |
| 5           | 1           | RP.008.024I     | INOX Washer D.8 x 24             |
| 6           | 1           | 20.265.000      | Spacer                           |
| 7           | 1           | RP.008.024      | Washer D.8 x 24                  |
| 8           | 1           | DA.008.0AG      | Self Locking Nut M8              |
| 9           | 1           | 20.266.001      | Bracket                          |
| 10          | 1           | 02.077.010      | Y Fitting                        |
| 11          | 6           | FC.013.5.015    | Hose Clamp                       |
| 12          | As Req'd    | 02.217.000      | Hose D.8 x 13 L=50 (Per Foot)    |
| 13          | As Req'd    | 02.217.000      | Hose D.8 x 13 L=90 (Per Foot)    |

#### **20.171.00C**

|    |   |             |                    |
|----|---|-------------|--------------------|
| 16 | 1 | 20.171.000  | Sliding Bracket    |
| 17 | 1 | 20.068.000  | Bracket            |
| 18 | 1 | RP.008.000  | Washer D.8         |
| 19 | 2 | 20.069.000  | Threaded Handle M8 |
| 20 | 1 | 20.071.000  | Square Nut M8      |
| 21 | 1 | 20.070.000  | Square Nut M8      |
| 22 | 1 | D0.08.5588G | Nut M8             |

## 3

## Sec. 03



### 3 COMPLETE AIR ROUTING

#### Sec. 03 R.H. SLIDING BRACKET


| <u>REF.</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>                |
|-------------|-------------|-----------------|-----------------------------------|
| 1           | 1           | 20.171.00C      | Sliding Bracket Air Boom          |
| 2           | 1           | 20.221.000DX    | Complete 2 Nozzles Right Body Kit |
| 3           | 2           | 00.003.5.50     | Nozzle 3.5/50                     |
| 4           | 1           | TE.008.050T     | Screw TE M8 x 50                  |
| 5           | 1           | RP.008.024I     | INOX Washer D.8 x 24              |
| 6           | 1           | 20.265.000      | Spacer                            |
| 7           | 1           | RP.008.024      | Washer D.8 x 24                   |
| 8           | 1           | DA.008.0AG      | Self Locking Nut M8               |
| 9           | 1           | 20.266.001      | Bracket                           |
| 10          | 1           | 02.077.010      | Y Fitting                         |
| 11          | 6           | FC.013.5.015    | Hose Clamp                        |
| 12          | As Req'd    | 02.217.000      | Hose D.8 x 13 L=50 (Per Foot)     |
| 13          | As Req'd    | 02.217.000      | Hose D.8 x 13 L=90 (Per Foot)     |

#### **20.171.00C**

|    |   |             |                    |
|----|---|-------------|--------------------|
| 16 | 1 | 20.171.000  | Sliding Bracket    |
| 17 | 1 | 20.068.000  | Bracket            |
| 18 | 1 | RP.008.000  | Washer D.8         |
| 19 | 2 | 20.069.000  | Threaded Handle M8 |
| 20 | 1 | 20.071.000  | Square Nut M8      |
| 21 | 1 | 20.070.000  | Square Nut M8      |
| 22 | 1 | D0.08.5588G | Nut M8             |




## 4 LIQUID FLOW PATH



## 4 LIQUID FLOW PATH

### Sec. 01 FITTINGS FLOW PATH




| <b>REF #</b> | <b>QTY.</b> | <b>PART NO.</b> | <b>DESCRIPTION</b>                |
|--------------|-------------|-----------------|-----------------------------------|
| 1            | 1           | 02.008.000      | Sprayheads Liquid Manifold        |
| 2            | 2           | OR.000.117      | 13.1 x 18.34 x 2.62 O-Ring Gasket |
| 3            | 1           | 02.013.000      | Plug G 1/4"                       |
| 4            | 1           | 02.030.010      | Gasket                            |
| 5            | 1           | 02.182.000      | Female 3/4" Cap                   |
| 6            | 3           | 02.007.011      | Straight Union R.H. D.11          |
| 7            | 1           | 02.122.000      | D.13 Union                        |
| 8            | 1           | 02.349.000      | 17 x 23 x 3 Flat Gasket           |
| 9            | 1           | 00.055.045      | 3/4" Fly Nut                      |
| 10           | 1           | 20.360.000      | Bracket                           |
| 11           | 4           | RP.006.000      | Washer D.6                        |
| 12           | 2           | TE.006.020T     | Screw TE M6 x 20                  |
| 13           | 2           | D0.06.5588G     | Nut M6                            |
| 14           | 1           | D0.08.5588G     | M8 6S Big Lead Nut 5588           |
| 15           | 3           | 00.226.04C      | Complete Anti-drip (See Pg. 19)   |
| 16           | 1           | FC.022.5.024    | Hose Clamp 22.5 - 24              |
| 17           | 6           | FC.014.5.016    | Hose Clamp                        |
| 18           | As Req'd    | 02.211.000      | Hose D.16 (Per Foot)              |
| 19           | As Req'd    | 02.217.000      | Hose D.8 x 13 (Per Foot)          |

# 4

## LIQUID FLOW PATH

### Sec. 02 FITTINGS, LIQUID FLOW PATH




## 4 LIQUID FLOW PATH

### Sec. 02 FITTINGS, LIQUID FLOW PATH

| <u>REF #</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>                |
|--------------|-------------|-----------------|-----------------------------------|
| 1            | 1           | 02.008.000      | Sprayheads Liquid Manifold        |
| 2            | 4           | OR.000.117      | 13.1 x 18.34 x 2.62 O-Ring Gasket |
| 3            | 2           | 02.013.000      | Plug G 1/4"                       |
| 4            | 2           | 02.007.011      | Straight Union R.H. D.11          |
| 5            | 2           | 02.122.000      | D.13 Union                        |
| 6            | 2           | 02.349.000      | 17 x 23 x 3 Flat Gasket           |
| 7            | 2           | 00.055.045      | 3/4" Fly Nut                      |
| 8            | 1           | 20.360.000      | Bracket                           |
| 9            | 4           | RP.006.000      | Washer D.6                        |
| 10           | 2           | TE.006.020T     | Screw TE M6 x 20                  |
| 11           | 2           | D0.06.5588G     | Nut M6                            |
| 12           | 1           | D0.08.5588G     | M8 6S Big Lead Nut 5588           |
| 13           | 1           | 00.226.04C      | Complete Anti-drip                |
| 14           | 2           | FC.022.5.024    | Hose Clamp 22.5 - 24              |
| 15           | 4           | FC.014.5.016    | Hose Clamp                        |
| 16           | As Req'd    | 02.211.000      | Hose D.16 (Per Foot)              |
| 17           | As Req'd    | 02.217.000      | Hose D.8 x 13 (Per Foot)          |
| 19           | 1           | 00.226.011      | Anti-Drip Assembly                |
| 20           | 1           | 00.226.042      | Cap, Quick Release                |
| 21           | 1           | 02.379.000      | Hose Barb                         |
| 22           | 1           | 02.309.010      | Gasket                            |
| 23           | 1           | 02.305.010      | Disc SS 1.0                       |
| 23           | 1           | 02.305.012      | Disc SS 1.2                       |
| 23           | 1           | 02.305.015      | Disc SS 1.5                       |
| 24           | 1           | 02.007.000      | Hosetail                          |
| 25           | 1           | 02.311.010      | Filter                            |
| 26           | 1           | 00.226.010      | Diaphragm                         |
| 27           | 1           | 00.226.041      | Nozzle Body                       |

# 4 LIQUID FLOW PATH

## Sec. 03 FITTINGS. LIQUID FLOW PATH




## 4 LIQUID FLOW PATH

### Sec. 03 FITTINGS, LIQUID FLOW PATH

| <u>REF #</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>                |
|--------------|-------------|-----------------|-----------------------------------|
| 1            | 1           | 02.008.000      | Sprayheads Liquid Manifold        |
| 2            | 4           | OR.000.117      | 13.1 x 18.34 x 2.62 O-Ring Gasket |
| 3            | 1           | 02.013.000      | Plug G 1/4"                       |
| 4            | 3           | 02.007.011      | Straight Union R.H. D.11          |
| 5            | 3           | 02.122.000      | D.13 Union                        |
| 6            | 3           | 02.349.000      | 17 x 23 x 3 Flat Gasket           |
| 7            | 3           | 00.055.045      | 3/4" Fly Nut                      |
| 8            | 1           | 20.360.000      | Bracket                           |
| 9            | 4           | RP.006.000      | Washer D.6                        |
| 10           | 2           | TE.006.020T     | Screw TE M6 x 20                  |
| 11           | 2           | D0.06.5588G     | Nut M6                            |
| 12           | 1           | D0.08.5588G     | M8 6S Big Lead Nut 5588           |
| 13           | 1           | 00.226.04C      | Complete Anti-drip                |
| 14           | 1           | 02.293.000      | 1" M - 3/4" M Reducer Nipple      |
| 15           | 3           | FC.022.5.024    | Hose Clamp 22.5 - 24              |
| 16           | 6           | FC.014.5.016    | Hose Clamp                        |
| 17           | As Req'd    | 02.211.000      | Hose D.16 (Per Foot)              |
| 18           | As Req'd    | 02.217.000      | Hose D.8 x 13 (Per Foot)          |
| 19           | 1           | 00.226.011      | Anti-Drip Assembly                |
| 20           | 1           | 00.226.042      | Cap, Quick Release                |
| 21           | 1           | 02.379.000      | Hose Barb                         |
| 22           | 1           | 02.309.010      | Gasket                            |
| 23           | 1           | 02.305.010      | Disc SS 1.0                       |
| 23           | 1           | 02.305.012      | Disc SS 1.2                       |
| 23           | 1           | 02.305.015      | Disc SS 1.5                       |
| 24           | 1           | 02.007.000      | Hosetail                          |
| 25           | 1           | 02.311.010      | Filter                            |
| 26           | 1           | 00.226.010      | Diaphragm                         |
| 27           | 1           | 00.226.041      | Nozzle Body                       |

## 4 LIQUID FLOW PATH

### Sec. 04 COMPLETE ANTI-DRIP NOZZLE ASSY. (00.226.105C)



| <b><u>REF #</u></b> | <b><u>QTY.</u></b> | <b><u>PART NO.</u></b> | <b><u>DESCRIPTION</u></b>             |
|---------------------|--------------------|------------------------|---------------------------------------|
| 2                   | 1                  | 00.226.142             | Fly Nut + Gasket                      |
| 3                   | 1                  | 00.226.010             | Viton Gasket                          |
| 4                   | 1                  | 02.311.010             | 50 Mesh Filter                        |
| 5                   | 1                  | 02.305.012             | D 1.2 Stainless Steel Disc (Standard) |
| 6                   | 1                  | 02.007.011             | Straight Union R.H. Ø11               |
| 7                   | 1                  | 02.379.020             | Straight Union R.H. 10                |
| 8                   | 1                  | 02.305.010             | D 1 Stainless Steel Disc              |
| 9                   | 1                  | 02.305.015             | D 1.5 Stainless Steel Disc            |
| 10                  | 1                  | 00.226.041.A           | Anti-Drip Body                        |
| 11                  | 1                  | 00.226.041.C           | Gasket                                |
| 12                  | 1                  | 00.226.045             | 3/4" Fly Nut                          |

## 5 LIMITED WARRANTY

---



GEARMORE, INC., warrants each new Gearmore product to be free from defects in material and workmanship for a period of twelve (12) months from date of purchase to the original purchaser. This warranty shall not apply to implements or parts that have been subject to misuse, negligence, accident, or that have been altered in any way.

Our obligation shall be limited to repairing or replacement of any part, provided that such part is returned within thirty (30) days from date of failure to Gearmore through the dealer from whom the purchase was made, transportation charges prepaid.

This warranty shall not be interpreted to render us liable for injury or damages of any kind or nature, direct, consequential or contingent, to person or property. This warranty does not extend to loss of crops, loss because of delay in harvesting or any other expenses, for any other reasons.

Gearmore in no way warrants engines, tires, or other trade accessories, since these items are warranted separately by these respective manufacturers.

Gearmore reserves the right to make improvements in design or changes in specification at any time, without incurring any obligations to owners or units previously sold.

GEARMORE, INC.  
13477 Benson Ave.  
Chino, CA 91710

Always refer to and heed machine operating warning decals on machine.

*To validate the warranty on this product, please log-in to our website - [www.gearmore.com](http://www.gearmore.com).  
You will find "warranty registration" listed at the top of our homepage.*