




# TRAILER DUSTER




**Parts Manual  
For Model MAXI600-SPC  
1000# Capacity**

**Sept. 2020** Rev.1

# TABLE OF CONTENTS

| <b><u>SECTION</u></b> | <b><u>DESCRIPTION .....</u></b>            | <b><u>PAGE</u></b> |
|-----------------------|--------------------------------------------|--------------------|
| <b>1</b>              | <b>Introduction .....</b>                  | <b>1</b>           |
| 1.1                   | Purchaser's Responsibility .....           | 1                  |
| 1.2                   | Serial Number Information.....             | 1                  |
| <b>2</b>              | <b>Parts .....</b>                         | <b>2 - 25</b>      |
| 2.01                  | Frame Assembly.....                        | 2-4                |
| 2.02                  | Tank Assembly.....                         | 5-6                |
| 2.03                  | Fan Assembly .....                         | 7                  |
| 2.04                  | Fan Support & Belt Tensioner .....         | 8                  |
| 2.04A                 | Fan Support Assembly .....                 | 9                  |
| 2.04B                 | Tension Roller.....                        | 10                 |
| 2.05                  | Clutch & Pulley .....                      | 11                 |
| 2.05A                 | Fan Support Housing .....                  | 12                 |
| 2.06                  | Feed Screw Assembly.....                   | 13-14              |
| 2.07                  | Electro Cylinder.....                      | 15-16              |
| 2.08                  | Remote Control .....                       | 17                 |
| 2.09                  | Belt Assembly.....                         | 18                 |
| 2.10                  | Axles & Wheel Hubs.....                    | 19                 |
| 2.11                  | Distribution Heads.....                    | 20-21              |
| 2.12                  | Hydraulic Motor/Flow Control Manifold..... | 22                 |
| 2.13                  | Driveline.....                             | 23=24              |
| <b>3</b>              | <b>Limited Warranty .....</b>              | <b>25</b>          |

## INDEX



# 1 INTRODUCTION

---

We welcome you as an owner of a Gearmore duster. Please read the following instructions and refer to them when required. This manual contains parts diagrams and replacement parts lists. Do not modify the equipment in any way. Unauthorized modification may impair the function and/or safety and could affect the life of the equipment.

Where replacement parts are necessary for periodic maintenance and servicing, genuine factory replacement parts ***MUST*** be used to restore your equipment to original specifications. The manufacturer will not be responsible for injuries or damages caused by use of unapproved parts and/or accessories.

The manufacturer reserves the right to make improvements to the machinery and parts at any time and at their discretion.

**OPERATOR ORIENTATION** - The directions left, right, front and rear, are as seen from the driver's seat and facing in the direction of travel.

## 1.1 PURCHASER'S RESPONSIBILITY

It is the responsibility of the owner to make sure the machine is maintained properly, and that all parts are in working order. It is the responsibility of the purchaser and/or operator to.....

- Inspect the equipment and replace or repair any parts that are damaged or worn which under continued operation would cause damage, wear to other parts, or cause a safety hazard.
- Return the equipment or parts to the authorized dealer, from where it was purchased, for service or replacement of defective parts that are covered by warranty. (The factory may inspect equipment or parts before warranty claims are honored.)
- Payment of all costs incurred by the dealer for traveling to or transporting the equipment for warranty inspection and/or claims.

## 1.2 MODEL / SERIAL NUMBER

NAME: \_\_\_\_\_

PURCHASED FROM: \_\_\_\_\_


DATE OF PURCHASE: \_\_\_\_\_

MODEL NUMBER: \_\_\_\_\_

SERIAL NUMBER: \_\_\_\_\_

## 2 PARTS

### Sec. 01 FRAME ASSEMBLY



## 2 PARTS

### Sec. 01 FRAME ASSEMBLY

| <u>REF #</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>                 |
|--------------|-------------|-----------------|------------------------------------|
| 1            | 1           | 04.889.400      | Frame, Main                        |
| 2            | 1           | 04.866.010      | Cover                              |
| 4            | 9           | RP.006.000      | Washer D.6                         |
| 5            | 1           | 04.990.010      | Axle Tube                          |
| 6            | 1           | 40.000.000      | Bumper                             |
| 7            | 3           | 05.616.000      | 175 mm Internal D. Collar          |
| 8            | 1           | 04.809.050      | 90° Elbow D.175                    |
| 9            | 2           | 00.190.000      | Clamp D.190                        |
| 10           | 1           | 02.146.010      | 180 D. 200 mm Long Flexible Sleeve |
| 11           | 1           | 04.807.010      | Venturi Tube                       |
| 12           | 2           | 02.423.033      | Gasket 10 x 15 L=330               |
| 13           | 1           | 04.808.000      | Baffle                             |
| 14           | 1           | 20.400.000      | Tool, Crowbar                      |
| 16           | 1           | 40.107.010      | Shield                             |
| 17           | 1           | 40.108.010      | Shield                             |
| 18           | 1           | 02.440.000      | Cone, P.T.O.                       |
| 19           | 1           | 40.140.100      | Shaft Support P.T.O.               |
| 20           | 1           | 05.711.14C      | Drawbar                            |
| 21           | 1           | TE.008.100      | Bolt TE M8 x 100                   |
| 22           | 1           | DOT.10.5588     | Nut M10                            |
| 23           | 21          | RP.010.030      | Washer D.10 x 30                   |
| 24           | 9           | RP.010.000      | Washer D.10                        |
| 25           | 9           | RP.014.000      | Washer D.14                        |
| 26           | 6           | RP.008.024      | Washer D.8 x 24                    |
| 27           | 3           | TE.006.025T     | Bolt TE M6 x 25                    |
| 28           | 6           | D0.06.5588G     | Nut M6                             |
| 29           | 1           | DA.008.0AG      | Nut M8                             |
| 30           | 1           | D0.14.5588G     | Nut M14                            |
| 31           | 1           | DA.018.0AG      | Nut M18 x 2.5                      |
| 32           | 1           | 05.713.000      | Bracket For Fixing Rudder          |
| 33           | 13          | TE.010.030T     | Bolt TE M10 x 30                   |
| 34           | 4           | TE.014.030T     | Bolt TE M14 x 30                   |
| 35           | 4           | TE.014.040T     | Bolt TE M14 x 40                   |
| 36           | 1           | TE.010.025T     | Bolt TE M10 x 25                   |
| 37           | 1           | RP.018.000      | Washer D.18                        |
| 38           | 3           | TE.008.020T     | Bolt TE M8 x 20                    |
| 39           | 1           | TE.010.030T     | Bolt TE M10 x 30                   |
| 40           | 1           | D0.10.5588G     | Nut M10                            |
| 41           | 9           | D0.10.5587G     | Nut M10                            |
| 42           | 1           | 04.993.070C     | Jackstand                          |
| 43           | 1           | 04.993.070      | Body of Jackstand                  |
| 44           | 1           | 20.505.000      | Pin For Jackstand                  |

## 2 PARTS


### Sec. 01 FRAME ASSEMBLY

---

| <b><u>REF #</u></b> | <b><u>QTY.</u></b> | <b><u>PART NO.</u></b> | <b><u>DESCRIPTION</u></b>     |
|---------------------|--------------------|------------------------|-------------------------------|
| 45                  | 2                  | 21.183.000             | Cap Stop                      |
| 46                  | 1                  | 00.100.004             | Clip                          |
| 47                  | 1                  | TE.006.020T            | Bolt TE M6 x 20               |
| 48                  | 1                  | ID.008.001             | Grease Nipple Straight M8 x 1 |
| 49                  | 4                  | D0.14.5587G            | Nut M14                       |
| 50                  | 4                  | D0.10.5588G            | Nut M10                       |
| 51                  | 1                  | TE.018.120             | Bolt TE M18 x 120             |
| 52                  | 1                  | 40.136.200             | Complete Drawbar              |
| 53                  | 1                  | 20.409.000             | Shaft Support                 |
| 54                  | 1                  | CP.006.040I            | Clip D.6 L=40                 |
| 55                  | 1                  | TE.006.016T            | Bolt TE M6 x 16               |

## 2 PARTS

### Sec. 02 TANK ASSEMBLY






## 2 PARTS

### Sec. 02 TANK ASSEMBLY

| <u>REF #</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>               |
|--------------|-------------|-----------------|----------------------------------|
| 1            | 1           | 04.803.060      | Hopper Assembly                  |
| 2            | 1           | 04.803.061      | Hopper                           |
| 3            | 1           | 04.803.052      | Lid                              |
| 4            | 1           | 04.803.064      | Drain Plug                       |
| 5            | 1           | 04.803.053      | Bracket                          |
| 6            | 1           | S0.229.000      | Rubber Latch                     |
| 7            | 1           | 20.222.000      | Pin w/Washer                     |
| 8            | 8           | RP.006.000      | Washer D.6                       |
| 9            | 1           | 04.111.034      | Chain                            |
| 11           | 2           | TE.008.100      | Bolt M8 x 100                    |
| 12           | 4           | DA.006.0AG      | Nut M6                           |
| 13           | 3           | TE.006.016T     | Bolt M6 x 16                     |
| 14           | 1           | TE.006.020T     | Bolt M6 x 20                     |
| 15           | 1           | RP.006.024      | Washer D.6 x 24                  |
| 16           | 4           | DA.008.0AG      | Nut m8                           |
| 17           | 4           | RP.008.024      | Washer D.8 x 24                  |
| 18           | 1           | 04.803.062      | Protection Grate For Tank        |
| 19           | 2           | RP.006.018      | Washer D.18                      |
| 20           | 4           | TE.008.030T     | Bolt TE M8 x 30                  |
| 21           | 2           | TE.008.040T     | Bolt TE M8 x 40                  |
| 22           | 4           | RP.008.000      | Washer D.8                       |
| 23           | 1           | 40.104.000      | Support For Lock Gate            |
| 24           | 2           | 04.806.010      | Spring                           |
| 25           | 1           | 40.060.000      | Adjustment Bracket For Lock Gate |
| 26           | 2           | RP.010.040      | Washer D.10 x 40                 |
| 27           | 2           | RP.010.030      | Washer D.10 x 30                 |
| 28           | 1           | TE.010.040T     | Bolt M10 x 40                    |
| 29           | 1           | D0.10.5587G     | Nut M10                          |
| 30           | 1           | D0.10.5588G     | Nut M10                          |
| 31           | 3           | TE.008.025T     | Bolt TE M8 x 25                  |
| 32           | 1           | DA.008.0AG      | Nut M8 x 1.5                     |
| 33           | 2           | TE.006.025T     | Bolt M6 x 25                     |
| 34           | 2           | D0.06.5588G     | Nut M6                           |
| 35           | 2           | DA.006.0AG      | Nut M6                           |
| 36           | 2           | TE.008.030T     | Bolt M8 x 30                     |
| 37           | 4           | RP.008.024      | Washer D.8 x 24                  |
| 38           | 2           | DOT.08.5587     | Brass Nut M8                     |
| 39           | 1           | 40.055.000      | Lock Gate                        |

## 2 PARTS


### Sec. 03 FAN ASSEMBLY




| <u>REF #</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>     |
|--------------|-------------|-----------------|------------------------|
| 1            | 1           | 40.268.000      | Fan Cover              |
| 2            | 1           | 04.854.000      | Fan Casing             |
| 3            | 1           | 04.874.000.Z    | Clamp D.485            |
| 4            | 8           | RP.010.000      | Washer D.10            |
| 5            | 4           | RP.010.040      | Washer D.10 x 40       |
| 6            | 4           | RP.010.030      | Washer D.10 x 30 mm    |
| 7            | 2           | 20.088.000      | Bracket for Back Cover |
| 8            | 4           | D0.10.5587G     | Nut M10                |
| 9            | 1           | 04.720.000      | Fan                    |
| 10           | 1           | 05.654.000      | Protection Cover       |
| 11           | 2           | TE.010.080T     | Bolt M10 x 80          |
| 12           | 2           | DOT.10.5587     | M10 Brass Nut          |
| 13           | 4           | RP.006.000      | Washer D.6             |
| 14           | 4           | TE.006.016T     | Screw TE M6 x 16       |

## 2 PARTS

### Sec. 04 FAN SUPPORT & BELT TENSIONER



| <u>REF.</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>       |
|-------------|-------------|-----------------|--------------------------|
| 1           | 1           | 40.284.100      | Fan Support              |
| 2           | 1           | 04.850.002      | Automatic Belt Stretcher |




#### K.LUBR.50.T01 Oil Fill Kit

| <u>REF.</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>                        |
|-------------|-------------|-----------------|-------------------------------------------|
| 1           | 1           | 20.790.000      | Drain Pipe 3/8"                           |
| 2           | 1           | 40.266.000      | Oil Exhaust Plug                          |
| 3           | 1           | 02.013.000      | Plug G 1/4"                               |
| 4           | 1           | 00.414.100      | Straight Hose D.11 1/4"<br>With Bleed     |
| 5           | 1           | 02.355.000      | Nylon Assembly Clamp                      |
| 6           | 1           | 02.217.015      | Hose D.8 x 13 L=150                       |
| 7           | 1           | FC.014.5.016    | Hose Clamp 14.5 x 16                      |
| 8           | 1           | 20.792.000      | Straight Hose D.11 G 1/4"<br>For Breather |
| 9           | 1           | 40.269.000      | Filling Plug w/Dipstick L=215             |
| 10          | 1           | 40.272.000      | Filling Pipe L=200                        |

## 2 PARTS


### Sec. 04A FAN SUPPORT ASSEMBLY



| <b><u>REF #</u></b> | <b><u>QTY.</u></b> | <b><u>PART NO.</u></b> | <b><u>DESCRIPTION</u></b>  |
|---------------------|--------------------|------------------------|----------------------------|
| 1                   | 1                  | 40.260.000             | Housing, Fan Support       |
| 2                   | 1                  | 40.271.054             | Shaft With Pulley D.54 J32 |
| 3                   | 1                  | 40.262.000             | Spacer Fan Support         |
| 4                   | 1                  | I0.062.000             | Internal I.62 Circlip      |
| 5                   | 1                  | 40.263.000             | Seal Spacer                |
| 6                   | 1                  | 21305                  | Bearing                    |
| 7                   | 1                  | 22206                  | Bearing                    |
| 8                   | 2                  | 40x62x10               | Oil Seal 40 x 62 x 10      |
| 9                   | 1                  | 40.267.000             | Side Fan Cover             |
| 10                  | 1                  | L.08.07.35             | 8 x 7 x 35 Tang            |
| 11                  | 1                  | DA.022.0BF             | Self-Locking Nut M22 x 1.5 |
| 12                  | 1                  | RP.022.000             | Washer D.22                |
| 13                  | 1                  | 20.789.000             | Male/Female 90° Elbow      |
| 14                  | 1                  | 40.264.000             | Spacer                     |

## 2 PARTS


### Sec. 04B TENSION ROLLER



| <u>REF.</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>        |
|-------------|-------------|-----------------|---------------------------|
| 1           | 1           | 04.095.000      | Belt Stretcher Housing    |
| 2           | 1           | 04.835.000      | Belt Stretcher Pin        |
| 3           | 1           | KM.005.000      | Nut KM5                   |
| 4           | 2           | 04.585.000      | Anti-Dust Cover           |
| 5           | 2           | 6205-2RS        | Bearing 6205-2RS          |
| 6           | 2           | I0.052.000      | Internal D.52 Circlip     |
| 7           | 1           | 04.083.000      | Roller for Belt Stretcher |
| 8           | 1           | 04.084.000      | Spacer for Belt Stretcher |
| 9           | 1           | E0.025.000      | External D.25 Circlip     |
| 10          | 1           | 05.653.100      | Belt Stretcher Fork       |
| 11          | 1           | 04.593.000      | Pin                       |
| 12          | 1           | 00.100.002      | Clip                      |
| 13          | 1           | D0.12.5587G     | M12 Nut                   |
| 14          | 1           | 04.583.000      | Special Screw             |
| 15          | 1           | RP.019.000      | Washer D.19               |
| 16          | 1           | 04.093.100      | Spring                    |
| 17          | 1           | 20.260.000      | Special Washer D.12       |
| 18          | 1           | E0.080.000      | External D.80 Circlip     |
| 19          | 1           | MB.016.000      | Tooth Lock Washer MB 16   |
| 20          | 1           | 04.099.000      | Nut 80 x 2                |

## 2 PARTS


### Sec. 05 CLUTCH & PULLEY



| <u>REF #</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u> |
|--------------|-------------|-----------------|--------------------|
| 1            | 1           | 04.094.08C      | Clutch             |
| 2            | 1           | 00.450.J32      | Pulley             |
| 3            | 1           | 04.719.000      | Gasket             |
| 4            | 1           | 04.066.000      | Body               |
| 5            | 1           | 03.701.000      | Rotor              |
| 6            | 1           | ID.010.001      | Grease Nipple      |
| 7            | 4           | RD.012.000      | Tab Washer D.12    |
| 8            | 4           | TE.012.040F     | Bolt M12 x 40      |
| 9            | 2           | 02.502.002      | Pin                |
| 10           | 2           | 02.502.001      | Spring             |

## 2 PARTS

### Sec. 05A FAN SUPPORT HOUSING




| <b>REF.</b> | <b>QTY.</b> | <b>PART NO.</b> | <b>DESCRIPTION</b>               |
|-------------|-------------|-----------------|----------------------------------|
| 1           | 1           | 04.085.000      | Shaft                            |
| 2           | 1           | 04.094.000      | Clutch                           |
| 3           | 2           | K6.206.2RS      | Bearing                          |
| 4           | 1           | 04.060.000      | Spacer                           |
| 5           | 2           | I0.062.000      | Internal D.62 Circlip            |
| 6           | 1           | 04.590.000      | Spacer                           |
| 7           | 4           | TE.010.080      | Screw TE M10 x 80                |
| 8           | 4           | RP.010.030      | Washer D.10 x 30 mm              |
| 9           | 4           | D0.10.5587G     | Nut M10                          |
| 10          | 1           | 20.810.000      | Special Washer For Lower Support |
| 11          | 1           | TE.012.025FT    | Bolt TE M12 x 1.25               |
| 12          | 1           | 04.062.001      | Cover                            |



## 2 PARTS

### Sec. 06 FEED SCREW ASSEMBLY






## 2 PARTS

### Sec. 06 FEED SCREW ASSEMBLY

| <u>REF #</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>            |
|--------------|-------------|-----------------|-------------------------------|
| 1            | 1           | 04.816.150      | Screw Conveyor                |
| 2            | 1           | 40.054.100      | Bearing Fixing Plate          |
| 3            | 2           | K0.BPF.207      | Support Bearing               |
| 4            | 1           | 04.818.000      | Plate To Fix Shafts           |
| 5            | 1           | 40.054.000      | Faceplate                     |
| 6            | 1           | 04.829.000      | Mixer Shaft                   |
| 7            | 1           | 04.821.100      | Z-50 Double Wheel - 1/2" 12.7 |
| 8            | 1           | 04.817.000      | Scraper For Dust              |
| 9            | 2           | 40.238.000      | Bush For Mixer Shaft          |
| 10           | 3           | 04.830.000      | Mixer                         |
| 11           | 4           | TE.010.025T     | Screw TE 10 x 25T             |
| 12           | 14          | RP.008.024      | Washer D.8 x 24               |
| 13           | 7           | DA.008.0AG      | Self Locking Nut M8           |
| 14           | 17          | TE.008.025T     | Screw TE M8 x 25              |
| 15           | 1           | 40.063.000      | Shaft Lock Bush               |
| 16           | 1           | L.08.07.45      | 8 x 7 x 45 Tang               |
| 17           | 2           | RP.008.032      | Washer D.8 x 32               |
| 18           | 8           | RP.008.000      | Washer D.8                    |
| 19           | 2           | 04.819.000      | Felt Washer                   |
| 20           | 1           | 04.820.001      | Cover To Fix Shaft            |
| 21           | 1           | 04.831.020      | Support For Mixer Shaft       |

## 2 PARTS

### Sec. 07 ELECTRO CYLINDER



## 2 PARTS


### Sec. 07 ELECTRO CYLINDER

---

| <b><u>REF #</u></b> | <b><u>QTY.</u></b> | <b><u>PART NO.</u></b> | <b><u>DESCRIPTION</u></b>        |
|---------------------|--------------------|------------------------|----------------------------------|
| 1                   | 1                  | 40.062.000             | Indicator bracket For Regulation |
| 2                   | 1                  | 40.045.000             | Bracket                          |
| 3                   | 2                  | S0.212.000             | Supple For Handle                |
| 4                   | 4                  | D0.08.5588G            | Nut M8                           |
| 5                   | 2                  | TE.006.016T            | Screw TE M6 x 16                 |
| 6                   | 1                  | TE.010.070T            | Screw TE 10 x 70                 |
| 7                   | 1                  | TE.010.030T            | Screw TE M10 x 30                |
| 8                   | 2                  | D0.06.5588G            | Nut M6                           |
| 9                   | 1                  | 40.044.000             | Actuator Protection              |
| 10                  | 3                  | RP.010.030             | Washer D.10 x 30 mm              |
| 11                  | 1                  | D0.10.5587G            | Nut M10                          |
| 12                  | 4                  | DA.010.0BG             | Self Locking Nut M10             |
| 13                  | 1                  | BRF.008.029.5          | Long Threaded M8 L=295           |
| 14                  | 1                  | 40.064.100             | Special Screw                    |
| 15                  | 2                  | D0.12.5587G            | M12 Nut                          |
| 16                  | 1                  | TE.010.025T            | Screw TE 10 x 25T                |
| 17                  | 1                  | RP.010.040             | Washer D.10 x 40                 |
| 18                  | 3                  | RV.4.0.020             | Rivet D.4 x 20                   |
| 19                  | 1                  | 40.061.000             | Indicator Plate                  |
| 20                  | 2                  | RV.3.2.016             | Rivet D.3.2 x 16                 |
| 21                  | 1                  | 21.016.000             | Linear Actuator (LA 12.1)        |

## 2 PARTS


### Sec. 08 REMOTE CONTROL



| <u>REF #</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>       |
|--------------|-------------|-----------------|--------------------------|
| 1            | 1           | 21.030.006      | Switch MOM - 0 - MOM 10A |
| 2            | 1           | 21.030.007      | Switch Cap D.12          |
| 3            | 1           | 21.030.004      | 10 Ah Fuse               |
| 4            | 1           | 21.030.002      | Moving Fixing Bracket    |
| 5            | 1           | 21.030.003      | Fixing Knob              |
| 6            | 2           | RP.006.018      | Washer D.6 x 18          |
| 7            | 1           | DA.006.0AG      | Self Locking Nut High M6 |
| 8            | 1           | TE.006.025T     | Screw TE M6 x 25         |
| 9            | 1           | 20.111.000      | Bracket                  |
| 10           | 1           | 20.107.000      | Female Bayonet Support   |
| 11           | 1           | 21.030.008      | 12V Power Jack           |
| 12           | 1           | 21.334.000      | Cable Plug               |
| 13           | 1           | DOT.04.5587     | M4 Brass Nut             |

## 2 PARTS


### Sec. 09 BELT ASSEMBLY



| <b><u>REF #</u></b> | <b><u>QTY.</u></b> | <b><u>PART NO.</u></b> | <b><u>DESCRIPTION</u></b>       |
|---------------------|--------------------|------------------------|---------------------------------|
| 1                   | 2                  | 02.945.000             | Back Cover Bracket              |
| 2                   | 4                  | D0.12.5587G            | M12 Nut                         |
| 3                   | 4                  | RP.012.036             | Washer D12 x 36                 |
| 4                   | 1                  | TE.010.060T            | Screw TE M10 x 60               |
| 5                   | 1                  | 02.736.000             | 90 G. M10 x 1 Fitting           |
| 6                   | 1                  | 02.738.040             | Greaser Extension M10 x 1 L=400 |
| 7                   | 1                  | 02.737.000             | Adapter M10                     |
| 8                   | 1                  | ID.010.001             | Grease Nipple                   |
| 9                   | 1                  | C0.650.J32             | Poly V-Belt                     |

## 2 PARTS


### Sec. 10 AXLES AND WHEEL HUBS



| <u>REF #</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>        |
|--------------|-------------|-----------------|---------------------------|
| 1            | 1           | K0.030.206      | Bearing                   |
| 2            | 1           | DI.027.5594F    | Castle Nut M27            |
| 3            | 1           | 04.062.001      | Cover                     |
| 4            | 6           | 05.911.000      | Special Nut               |
| 5            | 1           | 40.020.151      | Axle Shaft (Not Supplied) |
| 6            | 1           | 20.258.000      | Oil Cover                 |
| 7            | 1           | K0.030.209      | Bearing                   |
| 8            | 1           | 05.903.001      | Hub                       |
| 9            | 1           | 20.259.000      | Split Pin                 |
| 10           | 1           | ID.006.001      | Greaser                   |
| 11           | 6           | 05.911.001      | Stud                      |

## 2 PARTS

### Sec. 11 DISTRIBUTION HEADS



## 2 PARTS


### Sec. 11 DISTRIBUTION HEADS

| <u>REF #</u>           | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>          |
|------------------------|-------------|-----------------|-----------------------------|
| <b>1.2V.MAXI.01</b>    |             |                 |                             |
| 1                      | 1           | 20.291.000      | Body Head                   |
| 2                      | 2           | 04.027.000      | Pipe Clamp D.150            |
| 3                      | 2           | 04.771.000      | Nozzle Metal Elbow          |
| <b>I.GC2.I.MAXI.01</b> |             |                 |                             |
| 1                      | 1           | 02.188.000      | Extension D.175 x 600       |
| 2                      | 1           | S0.554.000      | Duster Cannon Body D.175    |
| 3                      | 1           | 02.146.010      | Flexible Sleeve             |
| 4                      | 1           | 02.735.100      | Cannon Sprayer Clamp D.175  |
| 5                      | 1           | 02.020.000      | Flexible Sleeve D.80 x 115  |
| 6                      | 1           | 02.046.010      | Clamp D.80                  |
| 7                      | 1           | S0.551.000      | Bracket                     |
| 8                      | 1           | S0.552.000      | Duster Cannon               |
| 9                      | 1           | 02.195.300      | Fishtail                    |
| 10                     | 3           | 05.616.000      | Pipe Clamp D.175            |
| 11                     | 1           | 20.503.100      | D.175 Clamp Heads Fixing    |
| 12                     | 4           | RP.008.024      | Washer D.8 x 24             |
| 13                     | 1           | TE.008.025T     | Screw TE M8 x 25            |
| 14                     | 1           | TE.008.050T     | Screw TE M8 x 50            |
| 15                     | 1           | 02.840.04C      | Complete Jack               |
| 16                     | 2           | TC.06.40.07I    | INOX Screw M6 x 40          |
| 17                     | 2           | DA.006.0AG      | Self Locking Nut High M6    |
| 18                     | 2           | 20.900.370      | Oil Pipe For Jack L=3700    |
| 19                     | 5           | TE.006.020T     | Screw TE M6 x 20            |
| 20                     | 5           | RP.006.000      | Washer D.6                  |
| 21                     | 5           | D0.06.5588G     | Nut M6                      |
| 22                     | 2           | DA.008.0AG      | Self Locking Nut M8         |
| 23                     | 1           | 20.718.000      | Flow Regulator 1/4"         |
| 24                     | 1           | 05.615.000      | Elbow D.175 90°             |
| 25                     | 1           | S0.562.000      | Extension D.175 x 150       |
| 26                     | 1           | 40.404.000      | Bracket For I.TCF Sprayhead |
| 27                     | 10          | RP.010.030      | Washer D.10 x 30 mm         |
| 28                     | 2           | TE.010.040T     | Screw TE M10 x 40           |
| 29                     | 4           | 02.472.000      | Copper Washer               |
| 30                     | 1           | 02.408.000      | Jack Eye Right Union 1/4"   |
| 31                     | 1           | 40.405.000      | Plate 40 x 6 L=150          |
| 32                     | 7           | D0.10.5587G     | Nut M10                     |
| 33                     | 5           | TE.010.035T     | Screw TE 10 x 35            |
| 34                     | 4           | RP.010.000      | Washer D.10                 |
| 35                     | 7           | 02.355.000      | Nylon Assembly Clamp        |




## 2 PARTS

### Sec. 12 HYDRAULIC MOTOR / FLOW CONTROL MANIFOLD



| <b><u>REF #</u></b> | <b><u>QTY.</u></b> | <b><u>PART NO.</u></b> | <b><u>DESCRIPTION</u></b> |
|---------------------|--------------------|------------------------|---------------------------|
| 1                   | 1                  | 101-1023-009           | Motor                     |
|                     | 1                  | 60540-000              | Seal Kit                  |




| <b><u>REF #</u></b> | <b><u>QTY.</u></b> | <b><u>PART NO.</u></b> | <b><u>DESCRIPTION</u></b>      |
|---------------------|--------------------|------------------------|--------------------------------|
| 1                   | 1                  | 630AA00877A            | Flow Control Manifold Assembly |
| 2                   | 1                  | 566246                 | Relief Valve                   |
| 3                   | 1                  | 02-112974              | Flow Regulator                 |

P = Pressure Port    T = Return Port

## 2 PARTS

### Sec. 13 DRIVELINE ASSEMBLY 7G4R086U2WR7R07



## 2 PARTS

### Sec. 13 DRIVELINE ASSEMBLY 7G4R086U2WR7R07

| <u>REF. NO.</u> | <u>QTY.</u> | <u>PART NO.</u> | <u>DESCRIPTION</u>       |
|-----------------|-------------|-----------------|--------------------------|
| 1               | 1           | 5730E0584       | CV Yoke 1-3/8" - Z=6 #G4 |
| 2               | 2           | 435000323R      | Collar Kit               |
| 3               | 1           | 41204R          | Cross Kit #4             |
| 4               | 1           | 4120E0051R40    | Cross Kit CV #G4         |
| 5               | 1           | 2150E6885       | Yoke, CV Outer Tube #G4  |
| 6               | 1           | 5110E0052       | CV Body #G4              |
| 7               | 1           | 341038000R10    | Roll Pin                 |
| 8               | 1           | 341048000       | Roll Pin                 |
| 9               | 1           | 225100860       | Inner Drive Tube         |
| 10              | 1           | 5720E0355       | Yoke 1-3/8" - Z=6        |
| 11              | 1           | 204046852       | Yoke, Inner Tube         |
| 12              | 1           | 125161500       | CV Outer Drive Tube #G4  |
| 13              | 1           | 219041401       | CV Shield Cone           |
| 14              | 1           | 2550E0005R02    | CV Shield Bearing        |
| 15              | 1           | 255041001R02    | Shield Bearing Inner     |
| 16              | 1           | 255041002R02    | Shield Bearing Outer     |
| 17              | 2           | AS101           | Safety Chain             |
| 18              | 1           | 5CG4121FXWS     | Complete Shield          |
| 19              | 1           | 399CEE051       | Safety Decal             |

### 3 LIMITED WARRANTY



GEARMORE, INC., warrants each new Gearmore product to be free from defects in material and workmanship for a period of twelve (12) months from date of purchase to the original purchaser. This warranty shall not apply to implements or parts that have been subject to misuse, negligence, accident, or that have been altered in any way.

Our obligation shall be limited to repairing or replacement of any part, provided that such part is returned within thirty (30) days from date of failure to Gearmore through the dealer from whom the purchase was made, transportation charges prepaid.

This warranty shall not be interpreted to render us liable for injury or damages of any kind or nature, direct, consequential or contingent, to person or property. This warranty does not extend to loss of crops, loss because of delay in harvesting or any other expenses, for any other reasons.

Gearmore in no way warrants engines, tires, or other trade accessories, since these items are warranted separately by these respective manufacturers.

Gearmore reserves the right to make improvements in design or changes in specification at any time, without incurring any obligations to owners or units previously sold.

GEARMORE, INC.  
13477 Benson Ave.  
Chino, CA 91710

Always refer to and heed machine operating warning decals on machine.

*To validate the warranty on this product, please log-in to our website - [www.gearmore.com](http://www.gearmore.com).  
You will find "warranty registration" listed at the top of our homepage.*