

Two Economy Series In Widths Of 42" to 84"

## BSL SERIES



**BSL SERIES**

### FEATURES:

- For compact tractors up to 24 H.P.
- Heat treated scarifier shanks with replaceable points
- Clevis type hitch brackets
- Side plates are 1/4" x 16" x 22"
- Main beam 1/4" x 4" x 4" tubing

### SPECIFICATIONS:

MODEL NO.	CUTTING WIDTH	NO. OF SHANKS	WT.
BSL-42	42"	3	275#
BSL-48	48"	4	290#

## BB SERIES



**BB SERIES**

### SPECIFICATIONS:

MODEL NO.	WIDTH	SHANKS	WT.
BB-48	48"	4	350#
BB-54	54"	4	385#
BB-60	60"	5	415#
BB-66	66"	5	435#
BB-72	72"	6	500#
BB-84	84"	6	530#

### FEATURES:

- For tractors up to 50 H.P.
- 4" x 4" Shank beam
- Clevis lower hitch brackets
- Adjustable heat-treated scarifier shanks with replaceable points
- 17" High self cleaning moldboard

**Scrapers Available With 3 Separate Shank Retracting Systems - Manual, Mechanical, & Hydraulic**

## FEATURES:

For Cat. 1 tractors of up to 40 H.P. 4 wheel drive and 50 H.P. 2 wheel drive, ASAE Quick Hitch

3 types of shank adjustments to choose from: MANUAL, MECHANICAL and HYDRAULIC

Designed so that shanks retract straight up, thus improves view of cutting edge and reduces machine weight (GBS/R & GBS/H)

Positive locking system in both engaged and retracted positions

Adjustable heat-treated scarifier shanks with replaceable points

1/2" x 6" Reversible cutting edges front and rear

Side plates are 1/4" thick x 18 1/2" high x 26 1/2" long - 72" and up are 3/8" thick

Clevis type hitch points

4" x 4" Steel tubing main beam

Sizes to fit your width requirements



## SPECIFICATIONS:

CUTTING WIDTH	OVERALL WIDTH	WEIGHTS		
		GBS	GBS/R	GBS/H
42"	42 1/2"	330#	360#	360#
48"	48 1/2"	355#	405#	405#
54"	54 1/2"	395#	435#	435#
60"	60 1/2"	440#	480#	480#
66"	66 1/2"	490#	505#	505#
72"	72 3/4"	540#	575#	575#
76"	76 3/4"	560#	600#	600#
80"	80 3/4"	600#	630#	630#
84"	84 3/4"	620#	665#	670#

20 Series Maximum Horsepower - 40 • 30 Series Maximum Horsepower - 60



These two **Box Scrapers** are available in popular widths for tractors up to 40 horsepower and 60 horsepower for the 30 Series. All scrapers feature heat treated shanks with replaceable points, and cutting edges front and rear. The hitches are all built to A.S.A.E. quick hitch compatibility. Special baked on powder coating paint insures excellent appearance after years of use.

Our box scrapers are ideal for landscaping, grading, backfilling, scarifying, road maintenance, and general material moving applications.

### FEATURES:

- Cat. 1, A.S.A.E. quick hitch compatible
- Clevis type hitch points
- Heavy rolled moldboard
- 17" High x 24" deep side plates
- 4" x 4" Main Beam
- 4 Position adjustable shanks
- Heat treated shanks w/points
- 1/2" x 6" Reversible cutting edges
- Powder coated charcoal grey

### SPECIFICATIONS:

MODEL NO:	20 SERIES					30 SERIES			
	BB20-48	BB20-54	BB20-60	BB20-66	BB20-72	BB30-60	BB30-66	BB30-72	BB30-84
Width:	48"	54"	60"	66"	72"	60"	66"	72"	84"
Max. Horsepower:	40	40	40	40	40	60	60	60	60
No. of Shanks:	4	4	5	5	6	5	5	6	6
Side Plate Thickness:	1/4"	1/4"	1/4"	1/4"	1/4"	3/8"	3/8"	3/8"	3/8"
A-Frame Thickness:	3/8"	3/8"	3/8"	3/8"	3/8"	1/2"	1/2"	1/2"	1/2"
Weight:	340#	375#	400#	420#	445#	460#	480#	510#	570#

**For Tractors 15 to 60 Horsepower**

The **2G1 Series Scrapers** are designed especially for small compact tractors. Available in widths of 42", 48", 54" & 60" for tractors from 15 to 40 HP, 2 or 4 wheel drive.



The **2G2 Series Scrapers** are ideal for general landscape work such as: terracing, back-filling, scarifying and leveling the soil. Available in widths of 60", 66", 72", 76", & 84" for tractors from 30 to 60 HP, 2 or 4 wheel drive. Available in manual or hydraulic shanks. Now with bushings on 3-point hitch.

*Unique hydraulic scarifier system raises scarifier to high clearance position and lowers beam to working position plus automatically self-locks with heavy hardened pin*

## SPECIFICATIONS:

MODELS:	2G1 SERIES				2G2 SERIES				
	2G1-42	2G1-48	2G1-54	2G1-60	2G2-60	2G2-66	2G2-72	2G2-76	2G2-84
Working Width:	42"	48"	54"	60"	60"	66"	72"	76"	84"
Overall Width:	42 1/2"	48 1/2"	54 1/2"	60 1/2"	60 3/4"	66 3/4"	72 3/4"	76 3/4"	84 3/4"
No. of Shanks:	4	4	5	5	5	6	7	7	7
Approx. Weight:	410#	445#	480#	520#	770#	830#	860#	890#	920#
Moldboard Height:	18"				21"				
Main Beam:	1/4" x 4" x 4"				3/8" x 4" x 4"				
Side Plates:	1/4" x 18" x 28"				3/8" x 21" x 33"				

*Available With Fixed or Floating Tailboard*

**For Tractors 50 to 100 Horsepower**



**4G2 SERIES**

The **4G2 Series Scrapers** are designed to handle the demanding work of commercial landscaping and finish grading with its floating tailboard. Available in widths of 72", 76", 80" & 84" for tractors 50 to 70 HP, 2 or 4 wheel drive. Can be built to be A.S.A.E. quick hitch.

The **4G4 Series Scrapers** are extremely rugged and ideal for construction site clean-up, trench back-filling and demanding material handling. Available in widths of 80", 84" & 88" for tractors 60 to 100 HP, 2 or 4 wheel drive.



**4G4 SERIES**



**4G5 SERIES**

The **4G5 Series Scrapers** were developed for grading contractors with high horsepower tractors that demand floating tailboard scrapers. The scraper was designed with 4G4 strength, but the versatility of the floating tailboard. In float position, the cutting of hard material is much greater over fixed tailboard units. Available in widths of 80" & 84" for tractors 65 to 85 HP, 2 or 4 wheel drive.

**SPECIFICATIONS:**

MODELS:	4G2 SERIES				4G4 SERIES			4G5 SERIES	
	4G2-72	4G2-76	4G2-80	4G2-84	4G4-80	4G4-84	4G4-88	4G5-80	4G5-84
Working Width:	72"	76"	80"	84"	80"	84"	88"	80"	84"
Overall Width:	73"	77"	81"	85"	81"	85"	89"	81"	85"
Approx. Weight:	1150#	1190#	1220#	1260#	1340#	1400#	1470#	1350#	1410#
Side Plates:	1/2" x 24" x 32"				1/2" x 24" x 35"			1/2" x 24" x 35"	
HP Rating:	50 to 70 Horsepower				60 to 100 Horsepower			65 to 85 Horsepower	