




DISCOVER MORE OF OUR PRODUCTS HERE→



HYDRAULIC POST DRIVERS

HPD-16/22Q MANUAL ADJUST, 3-POINT

**BUILT FOR DURABILITY,
RELIABILITY AND
PERFORMANCE.**



Designed and engineered for those who have serious fencing to do. These center mounted units offer all the quality features of the basic HPD-16 & HPD-22Q plus effortless hydraulic driver alignment controlled by two 3" x 6" hydraulic cylinders. For increased driving force, the heavy duty HPD-26Q SHC delivers 110,000 lbs. of high impact force for driving large posts in tough soil conditions. Big foot stabilizer helps control tractor bounce on these larger units.

Maximum Post Sizes:

HPD-16SHC - 5" dia., 9' length

HPD-22Q SHC - 8 3/4" dia., 10' length

HPD-26Q SHC - 11" dia., 10' length

BigFoot Stabilizer Leg



Standard on HPD-16/22Q/26Q SHC. Big-foot stabilizer provides sure footing for driving those larger posts, reducing the driving shock load to the tractor.

Quickchange[®] System



Patented Quickchange[®] system with Split Cap[®] and enhanced cylinder rod design for our HPD series of post drivers. Allows the operator to perform routine maintenance on the rod cap seal without removing the ram from the mount. Saving hours of time and keeping the operator building fence.

Cushion Mount



Cushion mounts on Q-series drivers reduce spring vibration and driving ram shock resulting in increased reliability.

Q-Spring



Integrated spring anchors on Q-series drivers provide single bolt installation to cushion mounts resulting in easier spring replacement and increased service life of the spring. Spring life is increased over conventional springs with this patented design.

Reinforced Rails



Carriage reinforcement braces reduce carriage whip and insures durability of the driver.

Hydraulic Adjustable Mt.




Hydraulic adjustable mount with 3" x 6" cylinders provides superior ram control with trouble-free performance.



HYDRAULIC POST DRIVERS

The HPD-16/22Q models with manual adjust quickly delivers a tight post set for wood or steel posts. Base model offers manual adjustment cranks and bubble level for perfect vertical alignment on flatland or hillsides. Transport lock pin secures unit for travel and storage. Greaseable pivot points provide reliable movement of the driver.

Plated Manual Adjustment Cranks



Side-to-side and fore-aft post alignment. Plated manual cranks prevent rust and feature machined threads and grease zerks for quick, easy adjustment.

Rubber Shield




First to install rubber shield around ram driving head, reduces flying wood chips and debris.

Post Holder



Spring loaded arm holds post securely for "hands free" operation.

Bubble Level



First with a circular bubble level on all units for simple, yet accurate positioning of the driving ram.



FORM #WS0003-25

13477 Benson Ave. Chino, CA 91710 | 909/548-4848 | sales@gearmore.com